

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1485	shadow adj register\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:37
L2	20399	off adj chip	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:38
L3	116	vector\$1 with (off adj chip)	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:38
L4	372	1 near3 set\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:38
L5	230	map\$3 and 4	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:40
L6	23	1 near3 field\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:40
L7	835	(interrupt\$3 or exception\$1) near3 (register adj set\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:41
L9	10	6 and 7	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:41
L10	10	1 and 9	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:42
L11	4	(pointer\$1 or vector\$1) near3 (shadow adj register adj set)	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:42
L12	912	(select\$3 or switch \$3) near3 (register adj set)	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:43
L13	84	((interrupt\$3 or exception\$1) with (select\$3 or switch \$3) near3 (register adj set))	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:44
L14	0	(third or three or four) adj shadow adj register adj set \$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:45
L15	138	map\$3 near3 register adj set\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:46
L16	4	7 and 15	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:46

L17	1022	(select\$3 or switch\$3) near3 (register adj set \$1)	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:48
L18	738	712/228.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:48
L20	626	712/244.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:48
L21	1284	18 or 20	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:49
L22	9	15 and 21	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:49
L23	1	7 and 22	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:49
L24	3857	(kernel or initialization) adj mode	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:49
L25	0	23 and 24	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:49
L26	0	(plural or multiple) adj register adj set\$1	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:50
L27	0	(plural or multiple) adj register adj set\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:51
L28	197	(plural or multiple) adj register adj set\$1	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:51
L29	2	15 and 28	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:51
L30	10	24 and 28	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:51
L31	0	29 and 30	US-PGPUB; USPAT	OR	OFF	2008/04/18 12:51
L32	37	(plural\$3 or multiple or second \$3 or three or third or four) adj register adj set\$1	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:52
L33	1	map\$3 and 32	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:53
L34	29621	interrupt\$1 or exception\$1	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:53
L35	0	33 and 34	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:53

L36	212	(initialization or kernel) adj mode	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:54
L37	0	32 and 36	EPO; JPO; IBM_TDB	OR	OFF	2008/04/18 12:54

4/18/2008 12:54:58 PM